## Incidental finding of multiple pulmonary and cardiac hydatid cysts.

Jaafar Rhissassi<sup>1</sup>, hanae bouhdadi<sup>2</sup>, Hicham Wazaren<sup>1</sup>, Wafae Elaamadi<sup>1</sup>, Mohammed Bouchikh<sup>1</sup>, and Mohammed Laaroussi<sup>1</sup>


September 11, 2020

## Abstract

Background Cardiac hydatid cyst is a rare parasitic disease. Since it may be associated with fatal complications, early diagnosis and treatment of a cardiac hydatid cyst is very important, however, it may stay asymptomatic for a long time, until they reveal themselves being perforated into cardiac chambers and/or pulmonary artery or systemic circulation. Case presentation: We report a case of a young asymptomatic boy, who underwent a routine chest x ray in a pre employment check up in whom we discovered a multiple pulmonary lesions and a right ventricle hydatid cyst. He then underwent a successful treatment Conclusion Due to the high risk of associated complications, cardiac hydatid cysts should be removed surgically, even in asymptomatic patients.

## Hosted file

 $\label{lem:manuscript_HC_1.docx} available at https://authorea.com/users/356731/articles/480586-incidental-finding-of-multiple-pulmonary-and-cardiac-hydatid-cysts$ 



<sup>&</sup>lt;sup>1</sup>Ibn Sina Hospital

<sup>&</sup>lt;sup>2</sup>Affiliation not available

