

# A Chronic Eyelid Lesion in a child: Multi-Disciplinary Approach to Diagnosis, Treatment and Management of a Highly Atypical Histiocytic Lesion

Archana Ramgopal<sup>1</sup>, Sabrina Mukhtar<sup>2</sup>, Julia Segal<sup>1</sup>, Jenny Yu<sup>2</sup>, Jennifer Picarsic<sup>3</sup>, Jean Tersak<sup>4</sup>, and Steven Allen<sup>1</sup>

<sup>1</sup>Children's Hospital of Pittsburgh of UPMC

<sup>2</sup>University of Pittsburgh Medical Center

<sup>3</sup>Cincinnati Children's Hospital Medical Center

<sup>4</sup>University of Pittsburgh School of Medicine

March 30, 2022

## Abstract

Malignant histiocytic neoplasm with histiocytic sarcoma phenotype is a rare malignant neoplasm, distinguished by malignant cells with phenotypical characteristics of mature tissue histiocytes. Histiocytic sarcoma typically presents as a primary malignancy, although it can also present as a secondary malignancy, and is rarely seen in the pediatric population. Due to the rarity of this condition, diagnosis of histiocytic sarcoma is difficult and considered a diagnosis of exclusion. We describe a unique case of a chronic upper eyelid lesion with biopsy findings of a highly atypical histiocytic neoplasm concerning for histiocytic sarcoma in a child treated with excision and observation alone.

## Hosted file

Main Document HS Brief Report.docx available at <https://authorea.com/users/394636/articles/562867-a-chronic-eyelid-lesion-in-a-child-multi-disciplinary-approach-to-diagnosis-treatment-and-management-of-a-highly-atypical-histiocytic-lesion>

## Hosted file

HS Figure.pdf available at <https://authorea.com/users/394636/articles/562867-a-chronic-eyelid-lesion-in-a-child-multi-disciplinary-approach-to-diagnosis-treatment-and-management-of-a-highly-atypical-histiocytic-lesion>