

Smart Check - COVID-19 triage system: evaluation of the impact on the screening time and identification of clinical manifestations of SARS-CoV-2 infection in a public health service.

Table 2 - Clinical manifestations of COVID-19

Clinical manifestations	SARS-CoV-2		P-value
	positive	negative	
Flu Symptoms	9 (8.3%)	10 (9.8%)	0.695
Dizziness	5 (4.6%)	4 (3.9%)	0.811
Sore throat	20 (18.3%)	36 (35.3%)	0.005
Nausea	13 (11.9%)	8 (7.8%)	0.322
Loss of appetite	7 (6.4%)	0 (0.0%)	0.009
Fatigue	15 (13.8%)	9 (8.8%)	0.259
Otalgia	3 (2.8%)	5 (4.9%)	0.414
Coryza	23 (21.1%)	27 (26.5%)	0.359
Headache	35 (32.1%)	43 (42.2%)	0.131
Dyspnea	39 (35.8%)	25 (24.5%)	0.075
Wheezing	1 (0.9%)	0 (0.0%)	0.332
Dry cough	51 (46.8%)	44 (43.1%)	0.594
Productive cough	5 (4.6%)	7 (6.9%)	0.476
Myalgia	28 (25.7%)	26 (25.5%)	0.974
Ageusia	5 (4.6%)	0 (0.0%)	0.029
Anosmia	4 (3.7%)	2 (2.0%)	0.455
Chills	8 (7.3%)	10 (9.8%)	0.522
Fever	45 (41.3%)	28 (27.5%)	0.035
Diarrhea	13 (11.9%)	9 (8.8%)	0.461
Constipation	1 (0.9%)	0 (0.0%)	0.332
Abdominal pain	3 (2.8%)	2 (2.0%)	0.706
Chest pain	11 (10.1%)	10 (9.8%)	0.944
Tremors	0 (0.0%)	1 (1.0%)	0.3
Mental confusion	1 (0.9%)	0 (0.0%)	0.332
Total	109 (100%)	102 (100%)	

n=211