




Streamflow: Columbia River Basin in the Pacific Northwest




The Columbia river in the Pacific Northwest is a transboundary river that is heavily regulated for flood control, hydropower, fisheries, irrigation water supply, recreation, and navigation. The region's electricity supply is heavily dependent on hydropower.




Projected changes in temperature and precipitation based on CMIP-5 simulations for RCP85 (above). Climate change is expected to significantly impact the hydrology of the Columbia River basin (Chegwidden et al., 2019; RMJOC-II, 2018; 2020) and hydrologic regimes are expected to shift from snow-dominant to transient and rain dominant (below left).



We compared modeled changes in annual and seasonal high flows (50-year return period) with and without regulation for the 2070s (below). Annual and cool season high flows are expected to increase at all locations in the regulated and unregulated scenarios, but regulation dampens increases in high flow extremes during the cool season (flood control).



Some of the amplification under regulation occurs because of changes in the hydrologic regime. For example, with more cool season precipitation falling as rain, less storage is available to meet spring flood targets.



For more detail: Please see [H54E-05 Where and When Does Streamflow Regulation Significantly Affect Climate Change Outcomes in the Columbia River Basin?](#)

The Need to Account for Water Resources Management in Climate Change Impact and Adaptation Studies

Bart Nijssen¹, Jane Harrell^{1,2}, Yifan Cheng³, Jeffrey R. Arnold⁴, Chris Frans²

¹University of Washington, Seattle, Washington

²US Army Corps of Engineers, Seattle District

³National Center for Atmospheric Research


⁴US Army Corps of Engineers, Responses to Climate Change Program

Motivation and overview

Many climate change impact studies treat rivers as entirely natural systems and water resources infrastructure is ignored or treated as an afterthought.

In this poster, we present two recent climate change impact studies in the northwestern and southeastern United States in which we quantified the effects of regulation on discharge and other variables such as stream temperature.

Evaluation methods



In the study to the left (Columbia) we examined changes in streamflow under climate changes. We looked at annual and seasonal volumes, high flows and low flows with and without regulating and evaluated how regulation amplifies or dampens changes associated with climate change. On this poster we only show results for high flows.

Finding

Not unexpectedly, regulation strongly modulates the response of climate change and can lead to both dampening and amplification of the climate signal (e.g., streamflow extremes in the Columbia). However, regulation in most cases cannot fully mitigate hydrologic changes due to climate change (e.g., stream temperature extremes in the southeastern US).

We need to start accounting for regulation in climate change studies.

References:

Chegwidden, D. S., B. Nijssen, D. E. Rupp, J. R. Arnold, M. P. Clark, J. J. Hamman, S. C. Kao, Y. Mao, N. Mizukami, P. W. Mote, M. Pan, E. Pytlak, and M. Xiao (2019), How Do Modeling Decisions Affect the Spread Among Hydrologic Climate Change Projections? Exploring a Large Ensemble of Simulations Across a Diversity of Hydroclimates, *Earth's Future*, 7(6), 623-637, doi:10.1029/2018ef001047.

Cheng, Y., N. Voisin, J. Yearsley, and B. Nijssen, 2020a: Reservoirs modify river thermal regime sensitivity to climate change: a case study in the southeastern United States. *Water Resources Research*, doi:10.1029/2019WR025784.

Cheng, Y., N. Voisin, J. Yearsley, and B. Nijssen, 2020b: Thermal extremes in regulated river systems under climate change: an application to southeastern U.S. rivers. *Environmental Research Letters*, doi:10.1088/1748-9326/ab8f5f.

Fonseca, F.R., M. Craig, P. Jaramillo, M. Bergés, E. Severini, A. Loew, H. Zhai, Y. Cheng, B. Nijssen, N. Voisin, and J. Yearsley, 2021: Effects of climate change on capacity expansion decisions of an electricity generation fleet in the Southeast U.S.. *Environmental Science & Technology*, doi:10.1021/acs.est.0c06547.

Niemeyer, R., Y. Cheng, Y. Mao, J. Yearsley, and B. Nijssen, 2018: A thermally-stratified reservoir module for large-scale distributed stream temperature models with application in the Tennessee River Basin. *Water Resources Research*, doi:10.1029/2018WR022615.

RMJOC-II, 2018: Climate and Hydrology Datasets for RMJOC Long-Term Planning Studies: Second Edition (RMJOC-II) Part I: Hydroclimate Projections and Analyses. Available online at: <https://www.bpa.gov/p/Generation/Hydro/hydro/cc/RMJOC-II-Report-Part-I.pdf> [Last accessed on 12/7/2021]


RMJOC-II, 2020: Climate and Hydrology Datasets for RMJOC Long-Term Planning Studies: Second Edition (RMJOC-II) Part II: Columbia River Reservoir Regulation and Operations—Modeling and Analyses. Available online at: https://www.bpa.gov/p/Generation/Hydro/Documents/RMJOC-II_Part_II.PDF [Last accessed on 12/7/2021]

US EIA, 2021: Monthly Energy Review, July 2021. www.eia.gov/mrer [Last accessed on 8/3/2021].

Stream Temperature: Southeastern United States


Our study area in the southeastern United States consisted of multiple river basins with 271 individual reservoirs (Cheng et al., 2020a).

We used a series of models (below) to examine the effects of climate change and regulation on stream temperature; explicitly accounting for reservoir stratification on downstream temperature (Niemeyer et al., 2019).



Reservoirs that stratify in summer result in lower downstream stream temperatures during the summer months. This effect dissipates further downstream but can be large immediately downstream of dams.

The figure to the right shows the effect of regulation on modeled warm season stream temperatures for the period 1979-2010.



We then evaluated extremes in stream temperature (duration, intensity, severity) during the summer under climate change (2080s versus historic) for those stream reaches that were affected by regulation. We grouped streams of similar size and calculated changes in extremes with and without regulation. Extremes increased significantly in both unregulated and regulated scenarios and regulation generally dampened only a small part of the climate change signal.

